



**KJ71043BK
KJ71044BK (Includes Switches)
2007-2010 JEEP WRANGLER JK
A Pillar Switch Panel**



**Instruction Sheet: P21095-02
2013 Daystar Products Interna-
tional Inc.**

Introduction



is your number one source for Made In The USA quality, Comfort Ride™ leveling kits. Now backed with our exclusive *Go Everywhere* © Lifetime Limited Warranty. To assure your safety and proper installation of this product, take a moment to read all instructions and Product Safety Information before trying to install your Daystar® product. Current OEM suspension design is complex: meaning safe and proper installation requires understanding OEM service techniques for disassembly and assembly of the components indicated together with the instructions and warnings set out below and in the OEM service manual and your owner's manual. *Daystar® strongly recommends seeking advice from or having this product in-stalled by a professional mechanic who can inspect your suspension, confirm compatibility with your tire and wheel choice and, if needed, reset alignment to optimize your steering and the features of your Daystar® Comfort Ride kit.* We are here to help if you have remaining technical questions after reading.

Product Safety Information

Throughout these instructions important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:

! WARNING A hazardous situation which, if not avoided, could result in death or serious injury. You can be Killed or Seriously Hurt if you don't follow instructions.

! CAUTION A hazardous situation which, if not avoided, could result in minor or moderate injury. You can be moderately HURT and also may suffer property damage if you don't follow instructions.

NOTICE Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your product or other property may result if you don't follow instructions.

!WARNING

Familiarize yourself with all vehicle manufactures' and Daystar warnings, instructions and limited warranties before driving your modified vehicle. Also be aware many states / countries have laws governing on-road vehicle modifications. You are responsible for assuring the safety and legality of your vehicle.

Tools Needed

Quantity	Description
1	Gloves
1	Razor Blade or Ezacto Blade
1	T-20 Torx Bit Driver
1	File

(Part List) Bill of Materials

Quantity	Part Number	Description
1	KJ71043BK or KJ71044BK w/ switches	Windshield pillar Switch panel

Installation Instructions

!Warning: Always work with appropriate personal safety gear including safety glasses, gloves and hearing protection if using air powered tools.

Begin by inspecting the components & hardware for damage. Then compare components & hardware to the bill of materials for completeness. If anything is missing/damaged, do not proceed with the installation.

1. Remove the driver side sun visor using a t-20 Torx bit.
2. Unclip and remove the upper interior windshield roof trim Molding.
3. Unclip and pull out gently to remove driver side interior Windshield pillar trim panel.
4. Remove clips on back of factory part, using pliers. **NOTE** check positioning of clips for reinstall, be gentle Not to damage clips.
5. Transfer the clips on to back of the Daystar Switch Pillar Trim panel. Support panel and gently push clips on to studs.
6. Your new Switch panel can accommodate up to 4 switches.
7. Working from the back of trim panel you can cut holes for switches using a razor blade knife or ezacto knife. Cut small and file hole for a snug fit.
8. Wire per instructions on items switches will power.
9. Install new Switch trim panel align clips with holes and push in till panel clips in place.





Daystar Rocker Switch Wiring Diagram

Back Side of switch

