



30" LED LIGHT BAR WITH HOOD MOUNTING BRACKETS

(2018-2020 JEEP WRANGLER JL)

INSTALLATION INSTRUCTIONS

CONTENTS

- (2) M8x1.25 Allen Bolts
- (4) M8 Lock Washers
- (4) M8 Flat Washers
- (2) M8x1.25 Nuts
- (1) Large Allen Key
- (2) Hood Mounting Arms
- (4) Hood Mount Spacers
- (4) T40 Hood Bolts
- (1) Wiring Harness w/ Switch

TOOLS REQUIRED

- Socket Wrench
- T40 Torx Socket
- T50 Torx Socket

STEP 1



Remove the (2) T50 Torx hood hinge bolts per hinge.

STEP 2




Install the (2) hood mount spacers on each hinge, then loosely install the hood mount bracket onto the hinges using the (2) provided T40 Torx bolts per hinge.

STEP 3



Using the (2) M8x1.25 bolts, nuts and lock washers, loosely secure the light bar to the brackets using the provided large Allen key. Tighten the brackets to the hood and then the light bar to the brackets. Adjust the light bar angle as needed.

STEP 4



Install the wiring to the vehicle using the diagram below. Route the switch into the passenger compartment and mount where desired. Once wired, installation is complete.

Vehicle Battery	-	Light Bar Harness
Positive (12V+)	-	Red
Negative(12V-)	-	Black