




Installation Tips

Before you begin installing your new Sun Bikini, please read all the instructions thoroughly.

For a smooth fit:

For easier installation, the top should be installed at a temperature above 72° F. Below this temperature, the fabric may contract an inch or more, making it difficult to fit the vehicle.

It is normal for the fabric to contract and wrinkle when stored in the shipping carton. Within a few days after installation, the fabric will relax and the wrinkles will disappear.



CAUTION Safety glasses should be worn at all times when installing this product.

Tools			Installation Time		Support	
 T-25 Torx	 Utility Knife (Optional)	 Safety Glasses		1/4 Hour	<p>We're here to help! Go to www.Bestop.com and click "Contact Us"</p>  <p>See a video showing installation of this top at www.bestop.com/video</p>	
			Skill Level			
			 1 - Easy			





WARNING This product is designed primarily to enhance the appearance of the vehicle and to shield the occupants from ordinary weather conditions. Do not rely in any way on the components of this product to contain the occupants within the vehicle, or to protect against injury or death in the event of an accident, This product will not protect the occupants from falling objects. Never operate the vehicle in excess of manufacturer's specifications.


WEAR SEAT BELTS AT ALL TIMES

Read and follow, precisely, all installation instructions provided when installing this product. Failure to do so may result in a poor fit and could place occupants of the vehicle in a potentially dangerous situation.




Included Parts

Used in Sections 2 & 5	Snap Bracket & Hook	Used on Pages 5 & 8		
 <p>Snap Bracket, Qty - 2 Part # 507.83</p>	 <p>Hook, Qty - 4 Part # 509.71</p>			


Used in Sections 1 & 3 – 7	Sun Bikini	Used on Pages 4 & 6 – 10		
	 <p>Sun Bikini</p>			

Step 1 Sun Bikini




Step 1

Connect the front rod halves together by sliding the left rod into the coupler on the right rod.




Step 1 507.83


Hardware



Snap Bracket
Part # 507.83
One per side




T-25 Torx




Step 1

Remove screws that attach outboard footman loops. Attach Snap Brackets over footman loop with screws that were removed.




Step 1





Step 1

If you plan on leaving your Sun Bikini on under your hard top make a slit in the center of the two PVC patches on the outside of the top. This will allow the Freedom Panel knobs to pass through the SunLiner and into the hard top.



Step 1 Sun Bikini

Step 2




Step 1


Drape the Sun Bikini over the sport bar with the snap tabs at the front. Thread the snap tabs through the top of the footman loop and snap them to the snap brackets.

Step 2


Wrap the hook and loop tabs around the center footman loop.




Step 1 **IF YOU HAVE DOOR SURROUNDS**



Hardware




Step 1 **IF YOU DO NOT HAVE DOOR SURROUNDS**



Step 1


IF YOU HAVE DOOR SURROUNDS
Remove the front knobs. Insert the knobs through the front hole in the Sun Bikini and screw the knobs down.
Disregard the strap at the rear knob location and drape the Sun Bikini over the rear knob.



Step 1

IF YOU DO NOT HAVE DOOR SURROUNDS
Thread a Hook through each loop strap as shown and loosely fasten the hook and loop. Wrap the strap around the sport bar and hook it into the bottom hole of the sport bar. Adjust the tension on the strap until the top is tight, then secure the hook and loop. Repeat this step at the rear hole location


Step 1



Step 1


Drape the Sun Bikini over the speaker pod. Locate the two straps sewn to the center flap of the bikini. Pull the straps under the pod and hook each strap into the opening as shown. Pull the end of each strap to tighten securely.

Step 2




Step 2
Step 2

Lay the rear straps around the outboard side of the Sport Bar and the strap around the bottom of the rear seat belt ring. Lay the front straps around the Sun Bikini and pull the straps tight. buckle in the Sun Bikini. Pull the straps tight.




Step 1



Step 1

If you want to install your top over the Sun Bikini unhook the Sun Bikini from the windshield. Fold the front edge back and snap it in place with the snaps on the outboard edge.



Care and Maintenance of your Bestop Product

Your Bestop product is made of the finest materials available. To keep it looking new and for the maximum possible wear, it will need periodic cleaning and maintenance.


Fabric: The fabric should be washed often using soap, warm water and a soft bristle brush. Rinse with clear water to remove all traces of soap. Bestop recommends using Bestop Cleaner (part no. 11201-00) and Bestop Protectant (part no. 11202-00). Bestop Cleaner and Bestop protectant are specially formulated to provide a total cleaning and protection system. Bestop Cleaner safely removes the toughest stains, will not harm vehicle finishes, is biodegradable and environmentally friendly. Bestop Protectant protects against UV-fading, cracking and hardening, and repels dust, grease, dirt and mildew.

Windows: Keep windows clean to avoid scratching. DO NOT use a brush on the windows! Wash with a water-soaked cloth or sponge and a mild dishwashing detergent. Bestop recommends Bestop Vinyl Window Cleaner (part no. 11203-00), which safely cleans and protects vinyl windows and helps prevent UV damage. NEVER WIPE THE WINDOWS WHEN THEY ARE DRY. Be careful when cleaning snow or frost from the vinyl windows since they are easily scratched and may crack at low temperatures. DO NOT roll the sides or rear window in cold weather. The windows become stiff and will crack. Cracks caused by misuse in cold temperatures are not covered under warranty.

Zippers: Keeping zippers cleaned and lubricated with Bestop's Zipper Cleaner (part no. 11206-00) will help prevent damage and keep the zippers in smooth working condition. If a zipper opens behind the slider, the slider may have been spread apart. This problem can usually be repaired by using an ordinary pair of pliers to bring the sides back into parallel. Return slider to the end of the zipper in the normal Open position. Squeeze lightly at first and test the zipper. If the zipper continues to remain open squeeze more firmly with the pliers and try the zipper again. Repeat this procedure until the zipper operates correctly.

Water: Seeping through at the seams may be stopped by applying 3-M Scotchgard® on the inside of the seams. Rips in the fabric may be repaired with Bondex® iron on patches. Iron the patches to the Inside of the top, carefully following the Bondex® instructions.

Snaps: Keep snaps cleaned and lubricated with silicone to help prevent snaps from sticking to the studs. If a snap does become stuck to a stud, use a screwdriver and GENTLY pry apart to prevent permanent damage to the snap or the top fabric.





BESTOP WARRANTY SUMMARY

Updated July 2017



WHAT BESTOP WARRANTS

Subject to the terms and conditions of sale, including any terms and conditions set forth by Bestop, Inc. ("Bestop" or "us" or "we") in our then-current terms of sale on our website (collectively, the "Terms"), Bestop represents and warrants that: the covered products listed in the "Covered Products and Warranty Periods" section (a "Product") will substantially be free from defects in materials and workmanship for the specified warranty periods set forth in that section.

THE WARRANTY IS LIMITED AND CONDITIONAL

This warranty applies to the original purchaser of the Product only. The warranty is valid only as long as the original retail purchaser owns the vehicle upon which the Product is installed. The warranty expires should the Product be removed from the original vehicle or if the original vehicle is transferred to another owner. This warranty is not transferable or assignable. The warranty does not apply to Product bought from auction-style or price-bid websites.

THE LIMITED WARRANTY AND STATED REMEDIES ARE SOLE AND EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES AND REMEDIES, AND COMPANY EXPRESSLY DISCLAIMS ALL IMPLIED OR STATUTORY OR OTHER WARRANTIES, INCLUDING WITHOUT LIMITATIONS WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL COMPANY BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, INDIRECT OR EXEMPLARY DAMAGES OF ANY KIND, INCLUDING LOST PROFITS OR REVENUE, HOWEVER CAUSED, WHETHER FOR BREACH OR REPUDIATION OF CONTRACT, TORT, BREACH OF WARRANTY, NEGLIGENCE, OR OTHERWISE, WHETHER OR NOT COMPANY WAS ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. *Some states do not allow exclusion or limitation, so this may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.*

EXCLUSIONS TO THE WARRANTY

The Limited Warranty excludes, and Bestop is not liable in any way for any warranty claims, damages, or defects related to:

- Misuse, abuse, accidents, vandalism, negligence, fire, or improper installation or modification, or improper or inadequate maintenance;
- Failure to comply with any Product documentation, Bestop instructions, or applicable law or regulations; use in extreme conditions
- Force Majeure including but not limited to, earthquake, hurricane, tornado, flooding, or other disasters natural or man-made, civil unrest, strikes, declared or undeclared war, or lack of performance by, or discontinued product of, supply chain partners whose products, software, operations or management is beyond the control of Bestop;
- Damage resulting in breakage (including without limitation, spontaneous breakage, accidental breakage or breakage by any other means) of a Product or any component part;
- Damage to vinyl windows due to misuse, or cracking due to varying weather conditions.

YOUR SOLE REMEDY

During the applicable warranty period, Bestop shall, at its option, either repair or replace any Product that it confirms, in its discretion, is non-compliant with the warranties herein. Bestop will not pay for labor charges associated with installation or removal of the Product. Should a specific Product be discontinued, Bestop may, at its option, replace the discontinued Product with a current product or like product. If Bestop opts to repair or replace your Product as set forth herein, Bestop shall use reasonable efforts to match any patch or replacement to the color and texture of your existing Product. There is no guarantee however, that Bestop will be able to match the color or texture. If Bestop is not able to match the color or texture, it may provide you with a black or neutral colored patch replacement in its discretion.

Please retain your proof of purchase. Original proof of purchase for the Product must accompany any warranty claim. If you have a warranty claim, first you must email Bestop Customer Service at csbestop@bestop.com for instructions. All claims must be emailed to csbestop@bestop.com within 30 days of discovery of a defective Product, but in no event later than thirty days after the end of the applicable Warranty Period (the "Warranty Notice Period"). Warranty claims made after the Warranty Notice Period are null and void and Bestop shall have no responsibility with respect to such claims.

THIS SECTION SETS FORTH BESTOP'S SOLE OBLIGATION & YOUR SOLE REMEDY WITH RESPECT TO ANY DEFECTS OR OTHER PRODUCT ISSUE. ANY PRODUCTS REPLACED UNDER TERMS OF THIS WARRANTY WILL BE COVERED UNDER TERMS & BALANCE OF THE DURATION OF THE ORIGINAL LIMITED WARRANTY FOR SUCH PRODUCT.

COVERED PRODUCTS AND WARRANTY PERIODS: The warranty time periods are as follows for Products manufactured by Bestop:

BESTOP® LIMITED LIFETIME WARRANTY

Trektop® Pro Twill Fabric Top	Sunrider® for Hardtop Twill Fabric Top
Trektop® NX Glide Twill Fabric Top	Replace-a-Top™ Twill Fabric Top
Trektop® NX Twill Fabric Top	Supertop® NX Twill Fabric Top
EZFold™ Soft Tonneau	Floor & Cargo Liners
ZipRail™ Soft Tonneau	Pet Barriers
EZRoll™ Soft Tonneau	

BESTOP® 5-YEAR LIMITED WARRANTY

Trektop® NX Glide™ Top (non-Twill)	Sunrider® for Hardtop (non-Twill)
Replace-a-Top™ Top (non-Twill)	Trektop® NX Top (non-Twill)
Sailcloth Replace-a-Top™	Supertop® NX Top (non-Twill)
TigerTop™ and HalfTop™	Supertop® Classic Soft Top
Sunrider® Complete Soft Top	Supertop® for Truck
EZ Fold Hard Tonneau	

BESTOP® 3-YEAR/100K MILES LIMITED WARRANTY

Powerboard® & Powerboard® NX
Trekstep®, Side Mount
Trekstep®, Rear Mount

BESTOP® 3-YEAR LIMITED WARRANTY

Pavement Ends Sprint Top

BESTOP® 2-YEAR LIMITED WARRANTY

Trektop® Classic Soft Top
RoughRider™ Soft Storage

BESTOP® 1-YEAR LIMITED WARRANTY

All other Bestop® & Pavement Ends™ products not specified above.



FIND THE RIGHT BIKINI® TOP

BIKINI TYPE		YEAR	MODEL	DRILLING REQUIRED	PARTS NEEDED	DOOR SURROUNDS	TOP MATERIAL	PART NUMBER
SUNSHADE		2010-18	Jeep Wrangler JK	No	Compatible with Sunrider for Hardtop ONLY	N/A	Mesh	52406
		2007-18	Jeep Wrangler JK	No	Compatible with soft tops except Trektop and Trektop Pro	N/A	Mesh	52405
TRADITIONAL BIKINI		1976-91	CJ7/CJ8/ Wrangler YJ	Yes	51209	N/A	Black Crush, Tan, Charcoal/Gray, Mesh	52508
		1976-83	CJ5	Yes	51209	N/A	Black Crush, Tan	52507
		1972-80	Scout II	Yes	51207	N/A	Black Crush	52550
		1966-77	Bronco	Yes	51206	N/A	Black Crush	52542
		1964-84	FJ40	Yes	51209	N/A	Black Crush	52540
		1951-81	M-38A1/CJ5/ CJ6	No	Factory Channel	N/A	Black Crush	52505
STRAPLESS HEADER BIKINI		1997-02	TJ	Yes	51210	N/A	Black Denim, Spice	52521
		1986-91	YJ	Yes	51209	N/A	Black Crush, Black Demin	52509
		1992-95	YJ	Yes	51209	N/A	Black Denim, Spice	52519
		1980-86	CJ7	Yes	51209	N/A	Black Crush, Black Demin	52518
		1986-94	Samurai	No	Factory Channel	N/A	Black Crush, Black Denim	52561
		1995-98	Tracker/Sidekick	No	Factory Channel	N/A	Black Denim	52562
		1988-94	Tracker/Sidekick	No	Factory Channel	N/A	Black Denim	52570
STRAPLESS SAFARI BIKINI		1997-02	TJ	Yes	51210	N/A	Black Denim, Spice	52530
		1992-95	YJ	Yes	51209	N/A	Black Denim, Charcoal/ Gray, Spice	52529
CABLE STYLE TARGA AND SAFARI BIKINI		2020-Current	Gladiator	No	Included	N/A	Black Diamond	52615
		2018-Current	JL	No	Included	N/A	Black Diamond	52607
		2018-Current	JLU	No	Included	Factory Door Surrounds	Black Diamond	52608
		2010-18	JK	No	Included	Factory Door Surrounds	Black Diamond, Mesh	52593
		2010-18	JKU	No	Included	Factory Door Surrounds	Black Diamond, Mesh	52594



FIND THE RIGHT BIKINI® TOP

BIKINI TYPE		YEAR	MODEL	DRILLING REQUIRED	PARTS NEEDED	DOOR SURROUNDS	TOP MATERIAL	PART NUMBER
HEADER STYLE TARGA BIKINI		2018-Current	JL/Gladiator	No	51244	N/A	Black Diamond	52606
		2010-18	JK (2-Door)	No	51243	N/A	Black Diamond	52586
		2007-09	JK (2-Door)	No	51243	N/A	Black Diamond	52580
		2003-06	TJ	No	51238	N/A	Black Diamond	52528
		1997-2002	TJ	No	51238	N/A	Black Denim, Spice	52525
HEADER STYLE SAFARI BIKINI		2020-Current	Gladiator	No	51244	N/A	Black Diamond	52614
		2018-Current	JLU	No	51244	N/A	Black Diamond	52610
		2010-18	JKU	No	51243	N/A	Black Diamond	52584
		2010-18	JK	No	51243	N/A	Black Diamond	52583
		2007-09	JKU	No	51243	N/A	Black Diamond, Mesh	52581
		2004-06	LJ/TJU	No	51238	N/A	Black Diamond	52544
		2003-06	TJ	No	51238	N/A	Black Diamond, Mesh	52532
		1997-02	TJ	No	51238	N/A	Black Denim, Spice, Mesh	52531
SUN TARGA BIKINI		2018-Current	JL/JLU/Gladiator	No	N/A	N/A	Mesh	52410
		2007-18	JK/JKU	No	N/A	N/A	Black Diamond, Mesh	52400
		1997-2006	TJ	No	N/A	N/A	Black Diamond, Mesh	52403
SUN SAFARI BIKINI		2020-22	Gladiator	No	N/A	N/A	Mesh	52413
		2018-Current	JLU	No	N/A	N/A	Mesh	52411
		2018-Current	JL	No	N/A	N/A	Mesh	52412
		2007-18	JKU	No	N/A	N/A	Black Diamond, Mesh	52401
		2007-18	JK	No	N/A	N/A	Black Diamond, Mesh	52402
		1997-2006	TJ	No	N/A	N/A	Black Diamond, Mesh	52404
ACCESS SAFARI BIMINI		2021-Current	Bronco 2DR	No	Compatible with Trektop, OE Soft top and OE Hardtop	N/A	Mesh	52420
		2021-Current	Bronco 4DR	No	Compatible with Trektop, OE Soft top and OE Hardtop	N/A	Mesh	52421