

LOCKING HOOD CATCH KIT

(2018-2021 WRANGLER JL) (2020-2021 GLADIATOR JT)

INSTALLATION INSTRUCTIONS

CONTENTS

- (2) Hood Catches
- (2) Lower Catch Gaskets
- (2) Hood Catch Gaskets
- (2) Hood Mounts
- (4) Keys
- (4) M6x1.00 x 20mm Allen Bolts
- (4) M6 Flat Washers
- (4) M6 Locking Nuts
- (2) M8 Locking Nuts
- (2) M8 Flat Washers

TOOLS REQUIRED

10mm Socket

13mm Wrench

Ratchet

4mm Allen Key

Exterior Detailer

Microfiber Cloth





STEP 1

Open the vehicle hood. Remove (2) 10mm nuts from the upper hood catch. Set upper hood catch aside.



STEP 2

Remove (1) 13mm nut from the lower hood catch inside the fender. Set lower hood catch aside.





STEP 3

Clean the hood catch mounting locations using exterior detailer and a microfiber cloth.



STEP 4

Place (1) lower catch gasket in between the lower hood catch and the vehicle fender. Install the lower hood catch to the vehicle using (1) M8 flat washer and (1) M8 locking nut.





STEP 5

Place (1) upper hood catch gasket in between the upper hood catch and the vehicle hood. Install the upper hood catch to the vehicle using (2) M6 Allen bolts, (2) M6 flat washer, and (2) M6 locking nuts.



STEP 6

Repeat steps 1-5 to the opposite side of the vehicle.

Installation is now complete.