



HD REAR WINDOW STORAGE TRUNK

(2018+ WRANGLER JL)

INSTALLATION INSTRUCTIONS

CONTENTS

- (1) Storage Trunk
- (1) Upper Bracket
- (1) Lower LH Bracket
- (1) Lower RH Bracket
- (1) Long Gasket
- (2) Short Gaskets
- (8) M8x1.25 x 15mm Allen Bolts
- (8) M8 Nylon Washers
- (8) M8 Flange Nuts
- (1) Lock Key


TOOLS REQUIRED

- 13mm Socket
- Ratchet
- 5mm Allen Key
- Window Cleaner
- Microfiber Cloth

SKU # J166726-JL
Edited: 04/04/2022

**STEP 1**

Loosely install the upper mounting bracket using (4) M8 x 15mm Allen bolts, (4) M8 nylon washers, and (4) M8 flange nuts. Install the included (3) gaskets around the edges.

**STEP 2**

Loosely install the lower LH and RH brackets using (4) M8 x 15mm Allen bolts, (4) M8 nylon washers, and (4) M8 flange nuts.

STEP 3



Place the assembly onto the upper hard top rail system and under the hard top base.

STEP 4



Press the brackets tight and secure all the mounting hardware, ensuring the trunk is secure to the side of the vehicle. Once tight, installation is complete.