REDROCK

Overhead Storage Console


J166733

1997-2006 WRNALGER TJ

(1) Contents:


Qty	Part Name	Size(mm)	Qty	Part Name	Size(mm)
1	Overhead Storage Console Assembly		K×8	Nylon Insert Lock Nut	M5
H×8	Button Head Socket Cap Bolts Screws	M8*20	L	EVA Rubber Pad	200*10*3
l×8	Button Head Socket Cap Bolts Screws	M5*20	L	EVA Rubber Pad	30*20*3
J×16	Flat Washer	M6*16*1.5			





(2) Tools required:

- a. 4mm Hex Bit Socket;
- b. 5mm Hex Bit Socket;
- c. Drive Socket Ratchet Wrench;
- d. 4mm Hex Key Allen Wrench;



(3) Installation time:

About 40 minutes, 2 people needed. Installation time may differ according to your mechanical skill level.


(PLEASE VERIFY ALL PARTS ARE PRESENT AND READ INSTRUCTIONS CAREFULLY BEFORE STARTING INSTALLATION!)

(4) Installation instruction:

Step 1: Assemble the Part "A" and the Part "B" & "C" with Part "I", "J" and "K".














Step 2: Assemble the Part "D" & "A" with Part "H".

























Step 3: The installation is now complete.

