

LED SIDE MIRROR TURN SIGNAL LAMPS

(2014-2023 4RUNNER)

INSTALLATION INSTRUCTIONS

CONTENTS

- (1) LH Mirror Turn Signal Lamp
- (1) RH Mirror Turn Signal Lamp

TOOLS REQUIRED

Plastic Pry Tool Phillips Screwdriver Flathead Screwdriver





STEP 1

Beginning from the inner-most corner using a plastic pry tool, pry around the painted portion of the vehicle mirror to remove the painted panel. The cover is only retained by plastic clips and will pop off.



STEP 2

Remove (2) Phillips head screws from the lower mirror panel.






STEP 3

Using a plastic pry tool, pry around the edges of the lower panel.

Note: The lower panel wraps under the mirror housing.



STEP 4

Place the lower panel away to access the turn signal lamp. Remove the turn signal lamp using a flathead screwdriver by hinging the light assembly from the retaining clips.





STEP 5

Press the connector plastic tab and pull the connector away from the vehicle light housing.



STEP 6

Identify each lamp using the label on each light lens/housing. Plug in the appropriate turn signal lamp. Re-assemble the mirror following steps 1-5 in reverse order, taking note each panel is properly aligned and clipped into place.

Repeat steps 1-6 to install the remaining turn signal lamp.

Installation is now complete.