



Performance Silicone Air Intake Kit

Part Number: 57-2207

2024-2026 Toyota Tacoma 2.4L Turbo

2025-2026 Toyota 4Runner 2.4L Turbo

**2024-2026 Toyota Land Cruiser 2.4L Turbo
(Fits Gas and Hybrid models)**

REMARK: Does not fit vehicles with TRD intake or Trailhunter intake system

Installation Instructions

For technical inquiries please email us at tech@hpsperformance.com

In the email, please include the following information for faster response:

- Year / Make / Model / Engine of your vehicle.
- If it is a fitment issue, please include pictures showing the fitment problem.
- If there are missing parts, please list the part number(s) from the bill of materials on the 2nd page.
- Optional but recommended – Your contact phone number and preferred call back time.

You can also give us a call via 626-747-9200 for tech support Monday-Friday, 9:00am-5:00pm Pacific Time.

Bill of Materials

Kit Number: 57-2207

| Line # | Description | Part Number | Qty |
|--------|-------------------------|-------------|-----|
| 1 | Silicone Intake Tube | 57-2207 | 1 |
| 2 | Embossed Clamp, 70-90mm | EMSC-70-90 | 2 |



- Before installing any parts of this intake kit, please read the instructions thoroughly.
- Verify the contents of this intake kit before disassembling your vehicle.
- DO NOT INSTALL IF ANY PARTS ARE MISSING OR DAMAGED. CONTACT tech@hpsperformance.com IMMEDIATELY. WE ARE NOT RESPONSIBLE FOR ANY DAMAGE CAUSED DUE TO IMPROPER INSTALLATION.
- Installation requires moderate mechanical skills. A qualified mechanic is highly recommended.
- Do not attempt to install the intake kit while the engine is hot.
- This installation may require removal of coolant lines that may be hot.
- For technical inquiries, please email us at tech@hpsperformance.com

PLEASE READ CAREFULLY BEFORE INSTALLATION!


This installation is not for the novice customer. Install this product with EXTREME caution! Misuse of this product can destroy your engine! If you are not mechanically inclined, please have a professional automotive mechanic install this kit.

NOTE: HPS holds no responsibility for any engine damage that results from misuse of this product.

GETTING STARTED

1. Turn the ignition OFF and **disconnect the vehicle's negative battery cable**. If the engine has run within the past two hours let it cool down.

NOTE: Disconnecting the negative battery cable erases pre-programmed electronic memories. Write down all memory settings before disconnecting the negative battery cable. Some radios will require an anti-theft code to be entered after the battery is reconnected. The anti-theft code is typically supplied with your owner's manual. In the event your vehicle's anti-theft code cannot be recovered, contact an authorized dealership to obtain your vehicle's anti-theft code. We also highly recommend NOT discarding any stock parts after the installation.




2. Loosen the two clamps on the stock intake tube using a 10mm socket.



3. Disconnect and remove the stock intake tube.



4. Place the provided embossed clamps onto the HPS silicone intake tube in the orientation shown.




5. Connect the HPS silicone intake tube to the factory air box and turbo inlet. Then fasten the clamps to complete the installation.

FINAL STEPS

Upon completion of the installation, reconnect the negative battery terminal before you start the engine. Double check to make sure everything is tight and properly positioned before starting the vehicle.

Start the engine. Let the car idle for 3 minutes. Perform a final inspection before driving. Listen carefully for any odd noises, rattles and/or air leaks prior to taking it for a test drive. If any problems arise, go back and check the intake hose and clamps that may be causing leaks or rattles and correct the problem.

Periodically, recheck the alignment of the intake kit and make sure there is proper clearance around and along the length of the intake. Failure to follow proper maintenance procedures may cause damage to the intake and will void the warranty.



HPS Performance Silicone Air Intake Kit

2024-2025 Toyota Tacoma 2.4L Turbo


2025 Toyota Runner 2.4L Turbo

2024-2025 Toyota Land Cruiser 2.4L Turbo

Part Number: 57-2207

Maximum Horsepower Gains = 9 whp @ 3800 rpm

Tested Vehicle 2024 Toyota Tacoma 2.4L Turbo



HPS Performance Silicone Air Intake Kit

2024-2025 Toyota Tacoma 2.4L Turbo


2025 Toyota Runner 2.4L Turbo

2024-2025 Toyota Land Cruiser 2.4L Turbo

Part Number: 57-2207

Maximum Torque Gains = 12.8 ft/lb @ 3500 rpm

Tested Vehicle 2024 Toyota Tacoma 2.4L Turbo



Also available for:
2024-2026 Toyota Tacoma 2.4L Turbo
2025-2026 Toyota 4Runner 2.4L Turbo
2024-2026 Toyota Land Cruiser 2.4L Turbo

| | |
|---|---|
|  | <p>HPS Performance Oil Catch Can Part Number 860-024</p> |
|  | <p>HPS Magnetic Oil Drain Plug Part Number MDP-M12x125</p> |
|  | <p>HPS Performance Air Filter Cleaning Kit Part Number HPS-AFRC</p> |

**Contact an authorized HPS Performance dealer or
visit us at hpsperformance.com for more details**



Torque Specifications

| Item | Recommended Torque |
|------------------------------|---------------------------|
| Constant Tension Clamp | 33 in-lb |
| Embossed Clamp | 27 in-lb |
| Fuel Injection Clamp | 15 in-lb |
| Spring Loaded T-Bolt Clamp | 33 in-lb |
| Stainless Steel T-Bolt Clamp | 33 in-lb |
| V-Band Clamp | 60 in-lb |
| M4 Bolt | 24 in-lb |
| M5 Bolt | 55 in-lb |
| M6 Bolt | 84 in-lb |
| M8 Bolt | 184 in-lb |

Please follow the recommended torque specifications.
Exceeding the specified torque may result in damage
and failure of the part.