
S6 Running Boards 24+ Toyota Tundra Double Cab

Installation Instructions

PARTS LIST:

Qty	Item Description	Qty	Item Description
1	76" Driver/left Running Board	12	8-1.25mm Nylon Lock Nuts
1	76" Passenger/right Running Board	12	8-1.25mm x 30mm Hex Bolts
1	Driver/Left Front Mounting Bracket	12	8mm Lock Washers
1	Passenger/Right Front Mounting Bracket	24	8mm x 24mm x 2mm Flat Washers
2	Driver/Left Center and Rear Mounting Brackets	6	8-1.25mm x 35mm Double Bolt Plates
2	Passenger/Right Center and Rear Mounting Brackets		



TOOLS REQUIRED












Follow (Fig 1-9) to attach the brackets to the Passenger Side. Repeat the following steps on the Driver Side. Ensure hardware is hand tight at this point.









Front Mounting Bracket

TT49907/TT49908

S6 Running Boards 24+ Toyota Tundra Double Cab




(Fig 4) Attach Passenger/right Center Mounting Bracket to Passenger/right Center Mounting location




(2) 8mm Hex Bolts (2) 8mm Lock Washers (2) 8mm Flat Washers


(Fig 8) Attach Passenger/right Rear Mounting Bracket



(Fig 5) Attach Passenger/right Center Mounting Bracket




(Fig 7) Attach Passenger/right Rear Mounting Bracket to Passenger/right Rear Mounting location




Page 3 of 4 6/21/24 (JY)

2


Follow (Fig 10 - 12) to install the running board. Repeat the following steps on the Driver Side. Ensure hardware is hand tight at this point.



(Fig 10) Slide Double Bolt Plate into channel on bottom of Running Board



(Fig 12) Running Board attached at Passenger/right Rear Mounting Bracket



3

Level and straighten running board, then tighten all fasteners. Installation is complete. Do periodic inspections to the installation to make sure that all hardware is secure and tight.



Page 4 of 4

6/21/24 (JY)